

Kiosk Software Application Guide

This in-house created software allows you to use any webpage on your faytech device with Android OS! Any customer that wishes to use the purchased faytech hardware as a **kiosk information display, way-finder, interactive digital signage solution, POS (point-of-sale)** or any similar application for public or private use, then this is the right software for you!

This software allows the device to show a single webpage in either full-screen or as standard, with the rest of the Android OS being locked with a password. This ensures the rest of the device cannot be accessed by any unauthorized person.

In this document, the most important points of the application is explained, from selecting the webpage (URL) and refresh configurations, to switching back to the regular launcher.




Select Website



Select zoom



Select refresh rate



Select screen mode


In order to enter the administrator interface of the app, a special touch movement has to be applied to the touchscreen, 2 strokes right to left (red) and 2 strokes top to bottom (green).

Please ensure the movement is done smoothly and with a maximum interval of 1 second. It might take a few tries to get right.



Touch movement required to get into configuration window

After successfully using the touch movement onto the screen, it should open a previously hidden window requesting a password, as can be seen in the image below.



Hidden configuration window (before login)

In order to continue to all the configurations of the device, it is password protected, ensuring no external parties are able to adjust any configurations.


The initial password provided when the device has been purchased is: **2020**

Please make sure to update the password after the first login. How to do this is explained on the next page of the document.

Kiosk Software Application Guide

Once inside the configuration, you will be able to see all the details of the application, such as the general configuration, refresh configuration, information about the model, version and contact details.

The screen you will see after logging in is shown below.




Configuration window (after login)

- 1 Close this window and refresh the display
- 2 Reboot the device
- 3 Open the WLAN configuration interface (to connect into an available wireless network)

④ Disable the full screen display and show the navigation buttons

This allows you to exit the kiosk browser application and switch to the default launcher.


- **ftKiosk launcher:** The kiosk web browser application launcher
- **Launcher3:** The standard installed Android launcher



Switch the launcher window

⑤ Change the URL you want to launch

This URL will be stored forever until the next modification.




URL to load window

⑥ Enable/disable the web fetched resources storage locally (cache)


⑦ Select the automatic zoom level for the web pages

150% is the default zoom value and usually is the best fitting for almost all web pages.



Zoom value window

⑧ The time in **seconds** to wait before refreshing the web content each time the device boots (given time for the connection to be established)



Post-boot refresh attempts window

9 Enable/disable the permanent automatic refreshing loop

If enabled, the administrator needs to set the interval of time in **minutes** between each two refresh attempts.



Automatically refresh the Webcontent window

10 Sets the new PIN access code (only digits are accepted) :

Please keep in mind that only digits are accepted.
Initial password: **2020**



Change the administrator password window

Do not hesitate to contact us directly for any more information regarding the software!

faytech AG

Bischäuser Aue 10
37213, Witzenhausen
Germany

Tel.:+49 (0) 5542 303740
E-Mail: dev@faytech.de