



faytech Coolers elevates the cooler to an advanced digital device; it's sleek design frames the transparent LCD display, to celebrate the digital content and the products inside the cooler. The digital content allows consumers to engage with brands and it can be updated remotely in real time for special offers.

In combination with transparent display technology this innovative digital cooler replaces the entire conventional front door glass with a transparent Digital LCD Display assembly. The transparent LCD allows for clear viewing of product through the glass, while simultaneously having the ability to run Full HD content in a "see-thru" manner in front of the product. The **faytech Cooler** is truly a turn-key solution with all required technology and hardware included.

faytech's Coolers comes in four different models

- **Glass Froster**
- **Bottle Cooler**
- **Counter Top Cooler**
- **Standalone Cooler**



Advertisers now have the ability to run full-HD content / videos on a single door or on all the doors within the C-Store. This allows for unique advertising opportunities by having advertisements / promotions sequence across all the Digital doors in the store or have different ads / promotions running on select doors.

Transparent LCD Glass Froster FT27CGF

- 27" Transparent Display
- Commercial grade Network Media Player
- Lockable
- Auto defrost
- Approvals CE (LVD,EMC, RoHs, REACH)



Model	Glass Froster (FT27CGF)	
	27" Transparent LCD Display	
	Display Resolution	1366x768 pixel
	Transmittance	6.95%
	Viewing Angle	(R/L 178 (Min.), U/D 178 (Min.))
	Support Media	Video, Audio, Image ,3g/4g,GPS
	Content Delivery	USB Memory, LAN, Wifi (option)
	Media Player	Industrial Grade
Nett Total/Litres	62 Liter	
Voltage / Frequency(V/Hz)	220-240v/50hz	
Temperature Range	-14°C	
Refrigerant Gas	R600a	
Glass door	Self-Closing double glazed glass with LOW-E	
Door frame	Seamless SS with door lock	
Cabinet body colour	Black	
Interior Cabinet Material	White painted aluminum	
Dimensions WxDxH	480 x 550 x 790	
Shelves	Plastic coated Wired (2 pcs)	
Handle	Recessed plastic	
Shelf support / Shelf K-clip	SS	
Energy efficient LED light	Interior Light: 3pc LED lighting  Door Frame Light: 3pc LED lighting 	
LED lights sensor	Auto	
Compressor/ power	CSA075NHEG	
Cooling system	Dynamic cooling	
Thermostat	Mechanical	
Packing method	Carton box with foam pallet	

Transparent LCD Glass Froster FT32CGF

- 32" Transparent LCD Display
- Commercial grade Network Media Player
- Lockable
- Auto defrost
- Approvals CE (LVD,EMC, RoHS, REACH)



Model	Glass Froster (FT32CGF)	
	32" Transparent LCD Display	
	Display Resolution	1920 x 1080 pixel
	Transmittance	5.95%
	Viewing Angle	(R/L 178 (Min.), U/D 178 (Min))
	Support Media	Video, Audio, Image ,3g/4g,GPS
	Content Delivery	USB Memory, LAN, Wifi (option)
	Media Player	Industrial Grade
	Nett Total/Litres	138 Liter
Voltage / Frequency(V/Hz)	220-240v/50hz	
Temperature Range	-14°C	
Refrigerant Gas	R600a	
Glass door	Self-Closing double glazed glass with LOW-E	
Door frame	Seamless SS with Lock on front grill	
Cabinet body colour	Black	
Interior Cabinet Material	White painted aluminum	
Dimensions WxDxH	600 x 500 x 900	
Shelves	Plastic coated Wired (2 pcs)	
Handle	Recessed plastic	
Shelf support / Shelf K-clip	SS	
Energy efficient LED light	Interior Light: 3pc LED lighting  Door Frame Light: 3pc LED lighting	
LED lights sensor	Auto	
Compressor/ power	ZANUSSI - HVM12AA 185W	
Cooling system	Dynamic cooling	
Thermostat	Elitech Digital Controller	
Packing method	Carton box with foam pallet	

Transparent LCD Bottle Cooler FT32CBC

- 32" Transparent LCD Display
- Commercial grade Network Media Player
- Lockable (optional)
- Auto defrost
- Approvals CE (LVD,EMC, RoHS, REACH)




Model	Bottle Cooler (FT32CBC)	
	32" Transparent LCD Display	
	Display Resolution	1920 x 1080 pixel
	Transmittance	5.95%
	Viewing Angle	(R/L 178 (Min.), U/D 178 (Min.))
	Support Media	Video, Audio, Image ,3g/4g,GPS
	Content Delivery	USB Memory, LAN, Wifi (option)
	Media Player	Industrial Grade
	Nett Total/Litres	138 Liter
Voltage / Frequency(V/Hz)	220-240v/50	
Temperature Range	2-10°C	
Refrigerant Gas	R600a	
Glass door	SELF-CLOSING TRIPLE GLAZED HEATED GLASS DOOR GLASS FOSTER	
Door frame	Seamless SS with Lock on front grill	
Cabinet body colour	Black	
Interior Cabinet Material	White painted aluminum	
Dimensions WxDxH	600 x 550 x 900	
Shelves	Chromed shelves	
Handle	Recessed plastic	
Shelf support / Shelf K-clip	SS	
Energy efficient LED light	Interior Light: 3pc LED lighting Door Frame Light: 3pc LED lighting 	
LGP	DC 24V 0-25A 36W DC60-BC32S	
LED lights sensor	Auto	
Compressor/ power	Donper A140CY1	
Cooling system	Dynamic cooling	
Thermostat	Elitech Digital Controller	
Gross Weight	45	
Packing method	Carton box with foam pallet	

Transparent LCD Standalone Bottle Cooler FT48CBCS

- **49" Transparent LCD Display**
- **Commercial grade Network Media Player**
- **Lockable**
- **Auto defrost**
- **Approvals CE (LVD,EMC, RoHs, REACH)**



Model	Standalone Bottle Cooler (FT49CBCS)	
	49" Transparent LCD Display	
	Display Resolution	1920 x 1080 pixel
	Transmittance	9.5%
	Viewing Angle	L (89), R (89), U (89), D (89)
	Support Media	Video, Audio, Image ,3g/4g,GPS
	Content Delivery	USB Memory, LAN, Wifi (option)
	Media Player	Industrial Grade
	Nett Total/Litres	450Liter
Voltage / Frequency(V/Hz)	220-240v	
Temperature Range	2-10°C	
Refrigerant Gas	R600a	
Glass door	Triple Glazed with Heated glass	
Door frame	Seamless SS - with SS middle bar	
Cabinet body colour	Black	
Interior Cabinet Material	White painted aluminum	
Dimensions WxDxH	700 x 770 x 2010mm	
Shelves	Plastic coated Wired (5 pcs)	
Handle	Circular arc handle	
Shelf support / Shelf K-clip	SS	
Energy efficient LED light	Interior Light: 3pc LED lighting 24V Door Frame Light: 3pc LED lighting 24V	
LED lights sensor	Auto	
Compressor/ power	Donper LI40CYI	
Cooling system	Dynamic cooling	
Thermostat	Elitech Digital Controller	
Packing method	Carton box with foam pallet	



Transparent LCD Counter Top Cooler FT32CCT

- 32" Transparent Display
- Commercial grade Network Media Player
- Lockable
- Auto defrost



Model	Counter Top (FT32CCT)	
	32" Transparent LCD Display	
	Display Resolution	1920x1080 pixel
	Transmittance	6.3%
	Viewing Angle	(R/L 178 (Min.), U/D 178 (Min.))
	Support Media	Video, Audio, Image ,3g/4g,GPS
	Content Delivery	USB Memory, LAN, Wifi (option)
	Media Player	Industrial Grade
	Nett Total/Litres	108 Liter
Voltage / Frequency(V/Hz)	220-240v/50hz	
Temperature Range	2-10°C	
Refrigerant Gas	R600a	
Glass door	Self-Closing double glazed glass with LOW-E	
Door frame	Seamless SS with Lock on front grill	
Cabinet body colour	Black	
Interior Cabinet Material	White painted aluminum	
Dimensions WxDxH	500 x 500 x 900	
Shelves	Plastic coated Wired (2 pcs)	
Handle	Recessed plastic	
Shelf support / Shelf K-clip	SS	
Energy efficient LED light	Interior Light: 3pc LED lighting Door Frame Light: 3pc LED lighting 	
LED lights sensor	Auto	
Compressor/ power	ZANUSSI - HVM12AA 185W	
Cooling system	Dynamic cooling	
Thermostat	Mechanical	
Packing method	Carton box with foam pallet	

Transparent LCD Standalone Cooler FT49CS

- 49" Transparent LCD Display
- Commercial grade Network Media Player
- Lockable
- Auto defrost
- Approvals CE (LVD,EMC, RoHs, REACH)



Model	Standalone Cooler (FT49CS)	
	49" Transparent LCD Display	
	Display Resolution	1920 x 1080 pixel
	Transmittance	9.5%
	Viewing Angle	L (89), R (89), U (89), D (89)
	Support Media	Video, Audio, Image ,3g/4g,GPS
	Content Delivery	USB Memory, LAN, Wifi (option)
	Media Player	Industrial Grade
	Nett Total/Litres	450Liter
Voltage / Frequency(V/Hz)	220-240v	
Temperature Range	2-10°C	
Refrigerant Gas	R600a	
Glass door	Double glazed glass with LOW-E	
Door frame	Seamless SS - with SS middle bar	
Cabinet body colour	Black	
Interior Cabinet Material	White painted aluminum	
Dimensions WxDxH	700 x 770 x2 010 mm	
Shelves	Plastic coated Wired (5 pcs)	
Handle	Circular arc handle	
Shelf support / Shelf K-clip	SS	
Energy efficient LED light	Interior Light: 3pc LED lighting  Door Frame Light: 3pc LED lighting 	
LED lights sensor	Auto	
Compressor/ power	Donper LI40CYI	
Cooling system	Dynamic cooling	
Thermostat	Elitech Digital Controller	
Packing method	Carton box with foam pallet	